

HDX760 RIDING TROWEL

10-FOOT HYDRA-DRIVE EXTREME RIDER




The Allen HDX760 Riding Trowel truly stands alone in the industry with the built-in 'Intelli-Power' system that controls both the hydraulics and the engine operation. With 'Intelli-Power' the 74hp T4F Hatz diesel engine and the Bosch-Rexroth hydraulic components actually talk to each other to ensure maximum performance and safety at all times. This results not only in unequalled performance and safety protection for these very expensive and critical engine and hydraulic components, but also much longer operating life expectancy.

CONTRACTOR TOUGH

SITE PREP • PLACING • FINISHING • PAVING EQUIPMENT

PRODUCT DETAILS



DESCRIPTION	HDX760
ENGINE	Hatz 4H50TIC (T4F)
HORSEPOWER CLASS	74 hp (55 kW)
FUEL TYPE	Diesel
PANNING PATH WIDTH	117.6 in (298.7 cm)
ROTORS (DIAMETER)	57.6 in (146.3 cm) 6-Bladed Spider
MAXIMUM ROTOR SPEED	145 rpm
STEERING CONTROL SYSTEM	Power
FUEL CAPACITY	11 gal (41.6 L)
RETARDANT CAPACITY	6 gal (23 L)
WEIGHT	2,687 lb (1,219 kg)
DIMENSIONS (L X W X H)	122.7 x 62.7 x 62 in (311.6 x 159.3 x 157.5 cm)



The powerful 74 hp Hatz Tier IV Final engine will provide all the power you will need for any job size.



The digital display will allow you to see rpm, temperature, hours, and more in one convenient place.

HDX780 RIDING TROWEL

12-FOOT HYDRA-DRIVE EXTREME RIDER




Designed to satisfy the most demanding concrete contractors, Allen HDX780 riding trowels are packed with the punch of 99 hp diesel engines and are the most power riders in their class. With ideal weight to horsepower ratios and hydraulic components (including a patented automatic load sensing device), these riders ensure peak performance every time. This 12' wide, stretched frame rider will improve productivity and F_f numbers on even the toughest jobs.

CONTRACTOR TOUGH

SITE PREP • PLACING • FINISHING • PAVING EQUIPMENT

PRODUCT DETAILS



POWERED BY
Kubota

DESCRIPTION	HDX780
ENGINE	Kubota V3800DI-T-E3B (T3)
HORSEPOWER CLASS	99 hp (73.8 kW)
FUEL TYPE	Diesel
PANNING PATH WIDTH	139 in (353 cm)
ROTORS (DIAMETER)	60 in (152.4 cm) 6-Bladed Spider
MAXIMUM ROTOR SPEED	135 rpm
STEERING CONTROL SYSTEM	Power
FUEL CAPACITY	20 gal (75.7 L)
RETARDANT CAPACITY	6 gal (23 L)
WEIGHT	3,044 lb (1,386 kg)
DIMENSIONS (L X W X H)	144 x 66 x 64 in (365.8 x 167.6 x 162.5 cm)



A 99 hp turbo-charged Tier III diesel engine provides all the power needed for our largest riding trowel.



Leak proof hydraulic hoses ensure dependable performance from the independent hydraulic pitch controls.