



# Residential | Commercial Products Guide

Pressure Washers | Portable Generators | Air Compressors



At Mi-T-M our goal is to continue to build the best equipment made right here in America's heartland, where workers take pride in their everyday job of manufacturing pressure washers, air compressors, generators and the multitude of other equipment with the familiar black and gold logo. But this logo is more than a name. It means quality and craftsmanship. It stands for pride in what we do. Proud that what we do matters to the hard working men and women in our industry.

Nearly every day, we take our places at the Peosta, Iowa facility next to 450 of our coworkers who come to do their best work. Striving for that quality, that standard we hold ourselves to. After all, this is Mi-T-M. Our reputation and our customers depend on it.



**PERFORMANCE UNDER PRESSURE.®**





## Selecting The Right Pressure Washer For Your Needs

What you should know:

PSI pounds per square inch	GPM gallons per minute	PSI vs. GPM	CU cleaning unit
<p>Indicates the amount of pressure the unit will create if concentrated on one square inch of surface area. The greater the PSI, the better the cleaning efficiency.</p>	<p>How much water (gallons) will flow through your pressure washer (flow rate). A higher flow rate will cut down on your cleaning time.</p>	<p>PSI and GPM are both equally important when choosing a pressure washer. The PSI indicates the amount of pressure and GPM indicates the flow. You must have the correct combination of PSI and GPM to have the most ideal pressure washing system for your needs.</p>	<p>This is calculated by multiplying PSI by GPM. The number is useful for comparing models. The higher the number of cleaning units, the more cleaning power your pressure washer has.</p>

## Engines

Mi-T-M chooses engines that are user-friendly, low maintenance and provide powerful performance for all your homeowner and contractor applications.

Mi-T-M Engines



Kohler Engines



**KOHLER.**  
IN POWER. SINCE 1920.

Honda Engines












POWERED by  
**HONDA.**

# Quick Connect High Pressure Nozzles

*Quick connect high pressure nozzles allow you to easily switch nozzles when you quickly change applications. Mi-T-M nozzles have unique pressure and flow settings that are optimized for each project type.*



0° Cutting Nozzle	15° Chiseling Nozzle	25° Flushing Nozzle	40° Wash Nozzle	Low-Pressure Detergent Nozzle
-------------------	----------------------	---------------------	-----------------	-------------------------------

 <p>Provides a maximum concentrated pressure for heavy-duty cleaning that can gouge or cut into surfaces. Can remove stubborn stains on concrete and other surfaces.</p> 	 <p>With its 15° angle this nozzle cleans concrete and asphalt by scraping paint, grease and grime from their hard surfaces.</p> 	 <p>This medium spray angle is most commonly used to clean dirt from siding, sidewalks and hardwoods.</p> 	 <p>This high-flow/low-pressure nozzle is great to clean most surfaces safely. Perfect for siding, windows and vehicles.</p> 	 <p>The low pressure detergent nozzle is used to apply cleaning detergents.</p> 
---	---	--	--	--



# How To Use A Pressure Washer



**1** Start cleaning with a wide spray pattern and move closer until the desired effect is achieved.




**5** Consider using brush attachments or a rotating nozzle to help remove stubborn dirt, grime and stains.



**2** Keep the nozzle in motion, spraying at a steady speed with long, even strokes to ensure uniform results.



**6** To prevent streaks on vertical surfaces, such as fencing and house siding, always begin pressure washing or applying detergent at the bottom of the surface, then work upward.



**3** Maintain a consistent distance between the nozzle and the cleaning surface.



**7** When rinsing vertical surfaces, start at the top and work downward. Gravity will help the clean water flush away dirt, debris and detergent residue, in addition to preventing streaking.



**4** When cleaning heavily soiled or stained surfaces, use cleaning detergents formulated for pressure washers. Be sure to NEVER use caustic cleaning agents.

For how-to videos on pressure washer cleaning and operation, visit [www.mitm.com/support/videos](http://www.mitm.com/support/videos)

# Work Pro® Series Gasoline – Direct Drive

*Designed to easily handle tough cleaning jobs, the WP Series is great for blasting away mud and muck and is great for cleaning jobs on the farm or small business.*



### Pump:

Equipped with the Mi-T-M Pressure Relief Start which eliminates pressure build-up in the system | Brass manifold | Thermal relief valve | In-line water strainer | Built-in low pressure detergent injector

### Frame:

Powder coated steel frame and base plate with 1¼-inch tube handles | 10-inch flat-free tires

### Unit Includes:

Quick connect nozzles - 15°, 25° and detergent nozzle | 25-foot x ¾-inch wire-braided high pressure hose (50-foot on WP-3600 and WP-4200 models) | Professional-grade trigger gun | Two-piece, 36-inch lance

### Limited Warranties:

1 year AR and Mi-T-M pumps | Kohler engine: 3 month, commercial / 2 year residential | Honda engine on WP-2500 and WP-3000 models: 3 month, commercial / 2 year, residential | Honda engine on WP-3200, WP-3600 and WP-4200 models: 3 year

### Certification:

Intertek - Certified to UL-1776 (WP-2500 and WP-3000 models)

USAGE MODEL NO.	Residential WP-2500-4MHB	Residential WP-3000-0MHB	Residential/Commercial WP-3000-0MKB	Commercial WP-3200-0MHB / WP-3200-0MKB	Commercial WP-3600-0MHB	Commercial WP-4200-0MHB (pictured) / WP-4200-0MKB
PSI	2500	3000	3000	3200	3600	4200
GPM	2.3	2.3	2.3	2.4	2.8	3.4
DISPLACEMENT/ENGINE	160cc Honda GC160 OHC	187cc Honda GC190 OHC	196cc Kohler SH265 OHV	196cc Honda GX200 OHV 208cc Kohler CH270 OHV	270cc Honda GX270 OHV	389cc Honda GX390 OHV 429cc Kohler CH440 OHV
PUMP	Mi-T-M, axial	Mi-T-M, axial	Mi-T-M, axial	Mi-T-M, crankshaft	AR, crankshaft	AR, crankshaft
UNLOADER	Fixed pressure	Fixed pressure	Fixed pressure	Adjustable pressure	Adjustable pressure	Adjustable pressure
DIMENSIONS (LxWxH)	37x21x24.5in.	37x21x24.5in.	37x21x24.5in.	37x21x24.5in.	40x22.5x24.5in.	40x22.5x24.5in.
SHIP WT.	100 lb.	100 lb.	100 lb.	110 lb.	180 lb.	192 lb.
NET WT.	75 lb.	75 lb.	75 lb.	85 lb.	130 lb.	142 lb.

Consult factory for more information on these available options:

- 25-foot high pressure hose with quick connects
- 50-foot high pressure hose, with and without quick connects

# Pump Oil, Foamer, Extension Hoses & Detergents

*Finding the right pressure washer accessory for your cleaning task is absolutely essential. Using the wrong nozzle or tip could create adverse results, like damage from too much pressure or ineffective cleaning from too little pressure. There are a variety of different pressure washer accessories to choose from and each will perform a job different from the other. Mi-T-M offers everything from hoses to reels and brushes to wands, just what you need to get the job done right.*

## Pump Oil

Specially designed for pressure washer pumps. It will keep pumps cooler than with regular oil and is suitable for all climates.

### AW-4085-0016

- 1-pint, 6 or 12 per case
- Convenient pour spout and resealable cap
- Contains rust and corrosion additives, anti-wear additives, foam suppressant and dispersant for system cleanliness



## Pump Saver

Provides longer pump life, prevents harmful build-up of hard water mineral deposits, preserves seals and pistons and protects against freezing for safe, cold weather storage.

### AW-4070-0004

- 16-oz.
- For use with all pressure washers
- Protects pressure washer when not in use



## Detergent Foamer

Enhances detergent performance by combining high pressure water, mixed with the detergent and air to produce long lasting thick foam. Prep and presoak surfaces for maximum cleaning.

### AW-0018-0459

- 37-oz. capacity
- 1100 to 5000-PSI rated
- 2.0 to 5.3-GPM flow rate
- Adjustable flow control
- 1/4-inch quick connect plug inlet
- Long range to reach up to 20-feet



## Extension Hoses

For when you need extra mobility and length.

### AW-0050-0176

- 23-foot x 5/16-inch steel-braided
- 3500-PSI rated, R1
- Fits CV Series, CM-3000-OMMB, WP-2500 and WP-3000 models

### AW-0851-0338

- 50-foot x 3/8-inch non-marking
- 4000-PSI rated, R1
- Fits CM Gasoline Series and WP Series models 3200-PSI and higher



## Detergents

All detergents are hard water stable to prevent spotting. Environmentally friendly, will not harm plants and are biodegradable.

### All Purpose Cleaner

#### AW-4018-0026 / AW-4018-0026-C\*

All Purpose Cleaner is the most versatile and efficient all-around cleaner. Use on vehicles, glass, stainless-steel, aluminum, painted surfaces and lawn equipment.

- 1-gallon, 4 per case

### Deck & House Wash

#### AW-4034-0026 / AW-4034-0026-C\*

Deck & House Wash removes mildew and dirt. It is recommended for decks, homes and wooden surfaces.

- 1-gallon, 4 per case

### Heavy-Duty Degreaser

#### AW-4059-0026 / AW-4059-0026-C\*

Heavy-Duty Degreaser is great for the removal of oil and grease. It is capable of handling all your equipment and automotive cleaning needs.

- 1-gallon, 4 per case

\*Available in Canada only.



# Nozzles, Pivot Coupler, Water Broom & Gutter Cleaners

## Rotating Nozzles

Increase your cleaning power and decrease your cleaning time with rotating nozzles. Offering 0° spray impact with 25° coverage, these nozzles can be used on sidewalks, driveways, track vehicles, muddy areas, old peeling paints and concrete surfaces.

### AW-0018-0364

- 2400-PSI rated
- Fits CM-1400 models


### AW-7310-0003

- 3000-PSI rated
- 3.0 orifice size
- 212°F temperature rating
- Fits all gasoline pressure washers

### AW-7510-Series\*

- 5100-PSI rated
- 212°F temperature rating
- Fits CM Gasoline Series and WP Series models

\*Consult factory for correct orifice size.



## Pivot Coupler

The quick connect pivot coupler adjusts to three different cleaning angles to get those hard-to-reach areas.

### 50-0208

- 1/4-inch quick connect
- Connects between the wand and high pressure nozzle
- Fits all gasoline pressure washers



## Water Broom

Water brooms are made from heavy-duty aluminum blocks and casters and are perfect for cleaning decks, garage floors, sidewalks and driveways.

### AW-7012-2503

- 12-inch broom with three 65° nozzles
- Quick connect 1/4-inch inlet
- Up to 3000-PSI maximum pressure
- Fits CM Gasoline Series and WP Series models



## Multi-Function Nozzle

Designed with six high pressure nozzles that are stainless-steel for longer life and durability. Its compact design gives you the convenience of six nozzles in one: 0°, 15°, 25° and 40° plus soap and rinse.

### AW-7200-0035

- 3.5 orifice size
- 4200-PSI rated



## Gutter Cleaner

Turn your wand into an efficient rain gutter cleaner. Clean your gutters from the ground and blow out dirt, grime, leaves and anything else that may be stuck inside.

### 50-0201

- 4000-PSI maximum pressure
- 1/4-inch quick connect socket outlet
- 1/4-inch quick connect plug inlet





# Rotary Surface Cleaners & Wands

## Rotary Surface Cleaner

Attaches easily to your pressure washer wand and is very operator friendly. It eliminates over-spraying while reducing water consumption.

### AW-7020-8009

- 14-inch diameter
- 4200-PSI maximum operating pressure
- Two 25° nozzles
- Underside dual arm
- Quick connects for easy installation
- 180°F maximum temperature
- 8.0-GPM maximum water volume
- Fits all gasoline pressure washers



## Extension Wand

Designed to help you clean those hard to reach places.

### 50-0180

- 24-inch extension wand
- Fits all ChoreMaster and Work Pro Series pressure washers



## Extended Reach Wands

Clean hard to reach places like house siding and eaves, large farm equipment, semi-tractor trailers and multi-story buildings.

### AW-7018-1200 (12-foot)

### AW-7018-1800 (18-foot)

### AW-7018-2400 (24-foot)

- Professional-grade trigger gun with safety lock-off
- Complete with quick connects
- Extends from 6-feet, 8-inches to 12, 18 or 24-feet
- Lightweight and easy to control
- Easy hose retraction
- Can handle water up to 200°F
- Fits CM Gasoline Series and WP Series models 3200-PSI and higher



## Aluminum Wand Extensions

These lightweight, aluminum extension wands allow the user to clean hard to reach areas with ease.


### AW-7105-3600 (36-inch)

### AW-7105-7200 (72-inch)

### AW-7105-4800 (48-inch)

### AW-7105-9600 (90-inch)

- 1/4-inch lance saver socket with quick connect plug
- 4000-PSI rated
- 12.0-GPM flow rate
- 300°F temperature rating
- Fits all ChoreMaster and Work Pro Series pressure washers





***PERFORMANCE UNDER PRESSURE.®***

50 Mi-T-M Drive  
Peosta, IA 52068  
800-228-6172 · 563-556-1235 fax  
corp@mitm.com · www.mitm.com

Pressure Washers · Air Compressors · Portable Generators  
Air Compressor/Generator Combinations · Air Compressor/Generator/Welder Combinations  
Wet/Dry Vacuums · Jobsite Boxes · Portable Heaters · Water Pumps · Water Treatment Systems